Math Worksheets for Enteral Feedings

How to Change Ounces (oz) to Milliliters (mL)

If the feeding is ordered in ounces

- **FIRST** change ounces to milliliters (see below).
- **THEN** determine rate, if needed (see page three).

To change ounces to milliliters

- 1 oz = 30 mL
- Multiply number of oz ordered by 30



Example One

Dose = 4 oz of formula



Example Two

Dose = 12.5 oz of breast milk



How to Change Minutes (min) to Hours (hrs)

If the length of the feeding (time) is ordered in minutes

- FIRST change minutes to hours (see below).
- **THEN** determine rate (see page three) or dose (see page four).

To change min to hrs

- 1 hr = 60 min
- Divide time (min) by 60



Example One

Time = 45 min



Example Two

Time = 90 min



How to Determine Rate

Definitions

- Rate is the amount of liquid food you give in one hour. Rate is measured in mL/hr (milliliters per hour).
- **Dose** is the total amount of liquid food you want to give in one feeding. Dose is measured in mL (milliliters).
- **Time** is the length of the feeding. Time is measured in hrs (hours).

If the feeding order is written with dose and time, you must determine the rate. Divide dose in mL by time in hrs to determine the rate.



Example One

Dose = 400 mL liquid food

Time = 10 hrs



Example Two

Dose = 100 mL of liquid food

Time = 0.75 hrs




How to Determine Dose

Definitions

- Rate is the amount of liquid food you give in one hour. Rate is measured in mL/hr (milliliters per hour).
- **Dose** is the total amount of liquid food you want to give in one feeding. Dose is measured in mL (milliliters).
- **Time** is the length of the feeding. Time is measured in hrs (hours).

If the feeding order is written with rate and time, you must determine the dose. Multiply rate by time in hrs or the maximum hang time in hrs to determine the dose.

NOTE! If the ordered time is longer than the maximum hang time for your liquid food, use the maximum hang time in the equation below to determine the dose.



Example One

Rate = 220 mL/hr of formula mixed from powder

Time = 1.5 hrs

Maximum hang time for formula mixed from powder = 4 hrs



Example Two

Rate = 30 mL/hr of breast milk

Time = 12 hrs

Maximum hang time for breast milk = 4 hrs




NOTE! Since the maximum hang time for breast milk is four hours, you must refill the bag every four hours with 120 mL.

How to Determine Drops per Minute for Gravity Feeding Bags

Definitions


- Rate is the amount of liquid food you give in one hour. Rate is measured in mL/hr (milliliters per hour).
- **Drops per milliliter** (drops/mL) is the number of drops it takes to deliver one milliliter of liquid food using gravity feeding bag tubing. Gravity feeding bags have the number of drops/mL for that tubing noted on the package. Each brand of tubing has a specific number. **ALWAYS** check the package to confirm the number of drops/mL for the tubing you are using.
- **Drops per minute** (drops/min) is the number of drops you count per minute in the drip chamber of gravity feeding bag tubing. This allows you to make sure you give the right amount of liquid food over the correct amount of time.

First, you must know the rate. Determine the rate using the steps on page three of this guide. Multiply the rate by the number of drops per mL from the gravity feeding bag package. Divide this number by 60 to determine the number of drops per minute.



Example One

Rate = 50 mL/hr of formula Gravity feeding bag tubing package states 8 drops/mL



Example Two

Rate = 30 mL/hr of breast milk
Gravity feeding bag tubing package states 14 drops/mL

